Notice of Allowability	Application No.	Applicant(s)
	10/644,340	NORGAARD, CHRISTOPHĘR T.
	Examiner	Art Unit
	Christopher Upton	1724
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this a or other appropriate communication GHTS. This application is subject	pplication. If not included
1. This communication is responsive to Preliminary amendment		
2. The allowed claim(s) is/are 1-11 and 13-20.		
3. The drawings filed on 23 February 2004 are accepted by the	ne Examiner.	
4. ☐ Acknowledgment is made of a claim for foreign priority un  a) ☐ All b) ☐ Some* c) ☐ None of the:  1. ☐ Certified copies of the priority documents have	been received.	•
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply ENT of this application.	complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which gives	ted. Note the attached EXAMINERs reason(s) why the oath or declar	R'S AMENDMENT or NOTICE OF ation is deficient.
6. CORRECTED DRAWINGS ( as "replacement sheets") must	be submitted.	
(a) ☐ including changes required by the Notice of Draftsperso	on's Patent Drawing Review ( PTO	-948) attached
1) ∐ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	Amendment / Comment or in the C	Office action of
Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in the	(4(c)) should be written on the drawing the according to 37 CFR 1.121(	ngs in the front (not the back) of d).
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT F	IT OF BIOLOGICAL MATERIAL	must be submitted. Note the
Attachment(s)		
1. Notice of References Cited (PTO-892)	<ol><li>5. Notice of Informal P</li></ol>	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☑ Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date	Paper No./Mail Dat ), 7. ⊠ Examiner's Amendr	ie nent/Comment
<ol> <li>Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ol>	<ol> <li>8.</li></ol>	ent of Reasons for Allowance
		CHRISTOPHER UPTON PRIMARY EXAMINER

U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04) Art Unit: 1724

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The dependencies of claims 7 and 10 have been changed to - 4 --.

The dependencies of claims 8 and 9 have been changed to - 7 --.

The dependency of claim 17 has been changed to -16 --.

The dependencies of claims 18 and 19 have been changed to - 13 --.

Claim 12 has been canceled.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Shawn Dempster on December 7, 2004.

CHRISTOPHER UPTON PRIMARY EXAMINER Application/Control Number: 10/644,340

Art Unit: 1724

Page 3

The following is an examiner's statement of reasons for allowance: The recitation

of a method and apparatus for preventing freeze up of a septic system having a septic

tank, drop boxes, connecting sewer pipe, drainfield and one or more vertical access

cleanout pipes, comprising a heater and fan system coupled to the access cleanout pipe

for blowing heated air to the septic system patentably distinguishes over the prior art of

record.

Any comments considered necessary by applicant must be submitted no later

than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

CHRISTOPHER UPTON PRIMARY EXAMINER